

SECTION 1. PRODUCT AND	СС	OMPANY IDENTIFICATION
Product name	:	ENFORCE LP
Other means of identification	:	Not applicable
Recommended use	:	Cleaning product
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	3.9 %
Company	:	Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	09/12/2017
SECTION 2. HAZARDS IDEN	ITIF	ICATION
GHS Classification Product AS SOLD		
Skin corrosion Serious eye damage	:	Category 1A Category 1
Product AT USE DILUTION Skin corrosion Serious eye damage	:	Category 1A Category 1
GHS label elements		
Product AS SOLD Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	Causes severe skin burns and eye damage.
Precautionary Statements	:	Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

	Storage: Store locked up. Disposal: Dispose of contents/ container to an approved waste disposal plant.
Product AT USE DILUTION Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: Causes severe skin burns and eye damage.
Precautionary Statements	 Prevention: Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response:

Product AS SOLD Other hazards

: Mixing this product with acid or ammonia releases chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture		
Chemical name	CAS-No.	Concentration (%)
Sodium hydroxide	1310-73-2	5 - 10
sodium hypochlorite	7681-52-9	1 - 5
amines, coco alkyldimethyl, n-oxides	61788-90-7	1 - 5
Sodium Xylenesulfonate	1300-72-7	1 - 5

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

SAFETY DATA SHEET

ENFORCE LP		
		a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	:	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.
Product AT USE DILUTION In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
If swallowed	:	Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
If inhaled	:	Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Not flammable or combustible.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus
Special protective equipment for fire-fighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION		
Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD Advice on safe handling	:	Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.
Conditions for safe storage	:	Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.
Storage temperature	:	0 °C to 50 °C
Product AT USE DILUTION		
Advice on safe handling	:	Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.
Conditions for safe storage	:	Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
	4040 70 0	•		
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
	7004 50 0	TWA	2 mg/m3	OSHA Z1
sodium hypochlorite	7681-52-9	STEL	2 mg/m3	
chlorine	7782-50-5	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	
		Ceiling	0.5 ppm 1.45 mg/m3	NIOSH REL
		С	1 ppm 3 mg/m3	OSHA Z1
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1
sodium hypochlorite	7681-52-9	STEL	2 mg/m3	AIHA WEEL
Engineering measures Personal protective equipme	below occupa	aust ventilation s tional exposure	ystem. Maintain air co standards.	oncentrations
			(
Eye protection	: Wear eye pro	tection/ face pro	tection.	
Hand protection	Standard glov Gloves should	e type.	rotective equipment: nd replaced if there is <through.< td=""><td>any indication of</td></through.<>	any indication of
Skin protection		ective equipmen s and protective	t comprising: suitable clothing	protective gloves,
Respiratory protection		s are facing conc ropriate certified	centrations above the respirators.	exposure limit they
Hygiene measures	practice. Rem Wash face, ha Provide suitat	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.		
Product AT USE DILUTION Engineering measures		aust ventilation s tional exposure	ystem. Maintain air co standards.	oncentrations
Personal protective equipme	nt			
Eye protection	: Wear eye pro	tection/ face pro	tection.	
Hand protection	Standard glov Gloves should	ve type.	rotective equipment: nd replaced if there is <through.< td=""><td>any indication of</td></through.<>	any indication of

Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	•	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD Product AT USE DI	LUTION
Appearance	liquid liquid	
Color	clear, light yellow light yellow	
Odor	Chlorine slight	
рН	12.0 - 13.0, (100 %) 11.8 - 12.8	
Flash point	Not applicable, Does not sustain combustion.	
Odor Threshold	No data available	
Melting point/freezing point	No data available	
Initial boiling point and boiling range	100 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Upper explosion limit	No data available	
Lower explosion limit	No data available	
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	1.155 - 1.185	
Water solubility	soluble	
Solubility in other solvents	No data available	
Partition coefficient: n- octanol/water	No data available	
Autoignition temperature	No data available	
Thermal decomposition	No data available	
Viscosity, kinematic	No data available	
Explosive properties	No data available	
Oxidizing properties	No data available	
Molecular weight	No data available	
VOC	No data available	

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Mixing this product with acid or ammonia releases chlorine gas.

ENFORCE LP	
Conditions to avoid	: None known.

Incompatible materials	:	Acids Metals Organic materials
Hazardous decomposition products	:	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact,	Skin contact
exposure			

Potential Health Effects

Product AS SOLD		
Eyes	Causes serious eye damage.	
Skin	Causes severe skin burns.	
Ingestion	Causes digestive tract burns.	
Inhalation	May cause nose, throat, and lung irritation.	
Chronic Exposure	Health injuries are not known or expected under normal u	se.
Product AT USE DILUTION		
Eyes	Causes serious eye damage.	
Skin	Causes severe skin burns.	
Ingestion	Causes digestive tract burns.	
Inhalation	May cause nose, throat, and lung irritation.	
Chronic Exposure	Health injuries are not known or expected under normal u	se.
Experience with human expo	e	
Product AS SOLD		

Product AS SOLD Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough
Product AT USE DILUTION	
Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain

Inhalation	: Respiratory irritation, Cough
Toxicity	
Product AS SOLD Product	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity		
Environmental Effects	:	Toxic to aquatic life.
Product		
Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	48 h EC50: 7.07 mg/l
Toxicity to algae	:	No data available
Ingredients		
Toxicity to fish	:	sodium hypochlorite 96 h EC50: 0.14 mg/l
		amines, coco alkyldimethyl, n-oxides 96 h LC50 Fish: 1 mg/l
Ingredients		
Toxicity to algae	:	Sodium Xylenesulfonate 96 h EC50: 230 mg/l
Persistence and degradabilit	y	
Product AS SOLD Biodegradable		
Desides (AT LIGE DILLITION		

Product AT USE DILUTION

Biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CO	NS	IDERATIONS
Product AS SOLD Disposal methods	:	Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.
RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste	:	D002 (Corrosive)
Product AT USE DILUTION Disposal methods	:	Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)		
UN number	:	3266
Description of the goods	:	Corrosive liquid, basic, inorganic, n.o.s. (sodium hydroxide, sodium hypochlorite)
Class	:	8
Packing group	:	II
Environmentally hazardous	:	no

Sea transport (IMDG/IMO)

UN number Description of the goods	 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium hypochlorite)
Class	: 8
Packing group	: 11
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sodium hypochlorite	7681-52-9	100	4000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :


On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) : On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory : not determined





Issuing date	
Version	
Prepared by	

: 1.0

: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.